

PRODUCT DATA SHEET



Crown® Tuff-Strip® Caulk Remover - CR.CR - April 23, 2024

Description	CROWN® Tuff-Strip Caulk Remover works on all caulk including silicones. Apply this gel formula over existing caulk and within 2 - 3 hours, the tough caulk has softened for easy removal. Clings to vertical surfaces. Softens old caulk for easy removal.
Prominent Features	Professional strength caulk remover.
	Works on all caulk including silicones.
	Clings to vertical surfaces.
	Softens old caulk for easy removal.
	16-ounce bottle covers up to 47 linear feet of caulk.
Uses	Removes caulk in 2-3 hours.
Limitations	Not for use on painted surfaces or on coatings made from acrylic, fiberglass, epoxy, plastics, or composites. Do not let Crown Caulk Remover come in contact with coated and painted surfaces as damage may occur. Wipe up drips immediately with a wet towel.
Application	NOTE: Do not use on acrylic, fiberglass, epoxy, plastic, or composite surfaces. Shake vigorously for 15-20 seconds before use. Apply a thin layer of Crown Tuff-Strip Caulk Remover, covering the existing caulk completely. Let set for 2 hours and monitor closely for caulk
	remover dripping. If dripping occurs, wipe up runoff immediately with a wet cloth towel. Remove the loosened caulk with a caulk removing tool or putty knife. If the caulk is not easily removed, let it sit another hour and try again
Disposal	The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Storage	Store in dry, cool, well-ventilated areas away from strong oxidizing agents, strong reducing agents, strong acids, strong bases, food, and drink. Transfer only to approved containers having correct labeling. Keep containers tightly closed when not in use. Protect containers against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent spillage. Containers are hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Do not take internally. Keep out of reach of children.
Packaging	1 16oz – 6 per case - plastic container

SolvChem, Inc., 1904 Mykawa Road, Pearland, TX 77581 Crown and SolvChem are registered trademarks of SolvChem, Inc. All rights reserved.