

Safety Data Sheet Crown Latex Agent Hard Coat

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: Crown Latex Agent Hard Coat

SDS number: CR.LAHC

Synonym(s): Waterborne coatings additive

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Additive for coatings Uses advised against: None known

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor Packaging Service Co., Inc. 1904 Mykawa Road

Pearland, TX 77581-3210 USA

1-281-485-1458

1.4 Emergency telephone number

CHEMTREC: 1-800-424-9300 (USA) CANUTEC: 1-613-996-6666 (Canada)

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation (EC) No 1272/2008

Skin irritation - Category 3 [H316] Skin sensitizer - Category 1 [H317] Eye irritation - Category 2B [H320]

2.2 Label elements

Hazard symbol(s):



GHS07

Signal word: Warning

Hazard statement(s): H316 - Causes mild skin irritation

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation

Precautionary statements:

[Prevention] P261 - Avoid breathing fumes, vapor and mist.

P264 - Wash hands and other skin areas exposed to material thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing and eye protection. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. P363 - Wash contaminated clothing before reuse.

P333 + P337 + P313 - If skin irritation or rash occurs or if eve irritation persists: Get medical attention.

[Disposal] P501 - Dispose of contents in accordance with national and local regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified

[Response]

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

As per paragraph (i) of 29 CFR 1910.1200, formulation is considered a trade secret and specific chemical identify and exact percentage (concentration) of composition may have been withheld. Specific chemical identity and exact percentage composition will be provided to health professionals, employees, or designated representatives in accordance with the applicable provisions of paragraph (i).

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Effective Date: 18 May 2018
Crown Latex Agent Hard Coat

4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist, seek medical attention.

Eyes: DO NOT RUB EYES. Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. If irritation persists seek medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. If irritation persists or if rash develops, seek medical attention.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures if present. Do NOT induce vomiting unless directed to do so by medical personnel. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: Causes eye irritation. Symptoms may include inflammation, tearing and discomfort. May cause mechanical irritation of the eye and surrounding tissues. May cause corneal abrasion.

Skin: May cause skin irritation with localized redness, itching and discomfort. May cause an allergic skin reaction with rash in some individuals with subsequent sensitization upon re-exposure to this material.

Inhalation: Mist or spray from this product may cause respiratory irritation with sore throat, cough and shortness of breath.

Ingestion: Causes irritation of the gastrointestinal tract with nausea, vomiting, abdominal pain and diarrhea.

Chronic: Pre-existing disorders of the skin and respiratory system may be aggravated by exposure to this product.

4.3 Indication of any immediate medical attention and special treatment needed

Advice to doctor and hospital personnel

Treat symptomatically and supportively

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishable media

Suitable methods of extinction: Use extinguishing media suitable for the surrounding fire.

Unsuitable methods of extinction: None known

5.2 Special hazards arising from the substance or mixture

Closed containers may rupture due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention. **Explosion hazards:** Not considered an explosion hazard.

5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all sources of ignition. No smoking. Clean up spills immediately. Spill creates a slip hazard.

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of in accordance with local and national regulations.

6.4 Reference to other sections

For indications about waste treatment, see Section 13.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or spray. No smoking. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly before reuse.

Advice on protection against fire and explosion

This product is not considered to be a fire or explosion hazard.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away incompatible materials (see Section 10.5), food and drink. Keep from freezing. Transfer only to approved containers having correct labeling. Keep containers tightly closed when not in use. Protect containers against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they

Effective Date: 18 May 2018 Page 2 of 6

contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Do not take internally. Keep out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

CAS Number	Ingredient	OSHA PEL	ACGIH TLV	NIOSH
55-81-5	Glycerin	5 mg/m ³ TWA, respirable fraction	10 mg/m ³ TWA	

8.2 Exposure controls

Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

Eye/face protection: Wear safety glasses with unperforated side shields or protective splash goggles during use.

Hand protection: Wear Neoprene gloves or those recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Skin protection: Wear protective clothing. Wear protective boots if the situation requires.

Respiratory protection: Always use an approved respirator when vapor/aerosols exceed exposure limit values. Where risk assessment shows air-purifying respirators are appropriate use a half mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Environmental exposure controls: Do not empty into drains.

PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.







SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Milky, white emulsion
Odor Faint, citrus
Odor Threshold No data available
Molecular Weight Not applicable
Chemical Formula Not applicable
pH 6.5 - 8.0
Freezing/Melting Point No data available

Initial Boiling Point 100 °C (212°F) [estimated]

Evaporation Rate No data available Flammability (solid, gas) Not applicable Flash Point Range No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available Lower Explosive Limit (LEL) No data available **Upper Explosive Limit (UEL)** No data available Vapor Pressure Similar to water Vapor Density No data available

Specific Gravity 1.2822 - 1.2922 [calculated]

Density 1.28 - 1.29 g/ml (10.70 - 10.79 lb/gal) [calculated]

Viscosity

Solubility in Water

Partition Coefficient: n-octanol/water

Oxidizing Properties

Explosive Properties

Volatiles by Weight @ 21 °C

No data available

No data available

Not applicable

Not applicable

No data available

9.2 Other data

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

This product is stable under normal handling and use.

10.2 Chemical stability

This material is stable under recommended storage and handling conditions. Keep from freezing.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Temperature extremes

10.5 Incompatible materials

Strong oxidizing agents, strong bases

10.6 Hazardous decomposition products

Thermal decomposition products include oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

Expected to have low acute oral toxicity

Acute inhalation toxicity

Expected to have low acute inhalation toxicity

Acute dermal toxicity

Expected to have low acute dermal toxicity

Skin irritation

May cause mild skin irritation.

Eye irritation

Causes eye irritation.

Sensitization

May cause an allergic skin reaction.

Genotoxicity in vitro

No data available

Mutagenicity

No data available

Specific organ toxicity - single exposure

No data available

Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Further information

No component of this product present at levels greater than or equal to the 0.1% threshold (de minimis) is identified as a probable, possible, potential or confirmed carcinogen by IARC, ACGIH, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicated that it caused adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

Large spills or discharges may be harmful to aquatic life and the environment.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulation potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Additional ecological information

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some

Effective Date: 18 May 2018 Crown Latex Agent Hard Coat product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

RCRA P-Series: No listings RCRA U-Series: No listings

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

USA DOT (Ground Transportation)

Not regulated for transport

IMO/IMDG (Water Transportation)

Not regulated for transport (Consult IMO regulations before transporting ocean bulk.)

ICAO/IATA (Air Transportation)

Not regulated for transport

RID/ADR (Rail Transportation)

Not regulated for transport

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

OSHA Process Safety Management Standard: This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

EPA Risk Management Planning Standard: This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

EPA Federal Insecticide, Fungicide and Rodenticide Act: This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150. **Toxic Substance Control Act (TSCA) Inventory:** All of the components of this product are listed on the TSCA Inventory. It is not subject to TSCA 12(b) Export Notification.

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.4(f)(2)) and Chemical Code Number None listed

Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number: None listed Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals: None listed Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Acute Health Hazard

SARA 313 Information: None of the components of this product exceed the threshold (de minimis) reporting requirements of Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): No components of the product exceed the threshold (de minimis) reporting levels established under CERCLA.

Clean Air Act (CAA)

This product does not contain any Hazardous Air Pollutants (HAPs) designated in CAA Section 112(b).

This product does not contain any Class 1 Ozone depletors.

This product does not contain any Class 2 Ozone depletors.

Clean Water Act (CWA)

None of the chemicals in this product are Hazardous Substances under the CWA.

None of the chemicals in this product are Priority Pollutants under the CWA.

None of the chemicals in this product are Toxic Pollutants under the CWA.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains no chemical(s) in excess of threshold (de minimis) reporting levels that are known to the sate of California to cause cancer, birth defects or other reproductive harm.

Other U.S. State Inventories

Glycerin (CAS #56-81-5) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: MA, MN, NJ, PA, RI, WA.

Canada

WHMIS Hazard Classification

Causes skin and eye irritation

May cause an allergic skin reaction

Canadian National Pollutant Release Inventory (NPRI): No data available

Effective Date: 18 May 2018 Page 5 of 6

European Economic Community

WGK, Germany (Water danger/protection): No data available

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS)



C = Safety glasses, gloves and an apron


HMIS Hazard Rating Legend

0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Health Hazard

NFPA Hazard Rating Legend

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

National Fire Protection Association (NFPA) Flammability



Abbreviation Key

ACGIH	American Conference of Governmental Industrial Hygienists	mppcf	Millions of Particles Per Cubic Foot
ADR	Accord Dangereux Routier (European regulations	NA	North America
	concerning the international transport of dangerous	NAERG	North American Emergency Response Guide Book
	by road)	NIOSH	National Institute for Occupational Safety
CAS	Chemical Abstract Services	NTP	National Toxicology Program
CFR	Code of Federal Regulations	OSHA	Occupational Safety and Health Administration
DOT	Department of Transportation	PBT	Persistent, Bioaccumulating and Toxic
EMS Guide	Emergency Response Procedures for Ships	PEL	Permissible Exposure Limit
	Carrying Dangerous Goods	PMCC	Pensky-Martens Closed Cup
EPA	Environmental Protection Agency	ppm	Parts Per Million
ERG	Emergency Response Guide Book	RCRA	Resource Conservation and Recovery Act
FDA	Food and Drug Administration	RID	Dangerous Goods by Rail
GHS	Globally Harmonized System of Classification and	RQ	Reportable Quantity
	Labelling of Chemicals (GHS)	TCC/Tag	Tagliabue Closed Cup
HCS	Hazard Communication Standard	TLV	Threshold Limit Value
IARC	International Agency for Research on Cancer	TSCA	Toxic Substance Control Act
IATA	International Air Transport Association	TWA	Time-Weighted Average
ICAO	International Civil Aviation Organization	UN	United Nations
IDLH	Immediately Dangerous to Life and Health	VOC	Volatile Organic Compounds
IMDG	International Maritime Dangerous Goods	vPvB	Very Persistent and Very Bioaccumulating
IMO	International Maritime Organization	WHMIS	Workplace Hazardous Materials Information System

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Preparation Date: 18 May 2018

<end of document>